

# the **Qumi** range

## **Connect with Qumi**

With the enormous amount of digital content now viewed on small smartphones and tablet screens, it's time to step up in size and connect to Qumi.

The Vivitek Qumi Series of Pocket and Personal Projectors can connect to all your devices at an instant and transform your content into a large up to 107" diagonal screen experience.

The sleek design and compact size make Qumi the perfect portable companion for business and personal use.



## **Smarter**

*Just Connect and Go*

Project presentations from a USB drive, or stream movies straight from YouTube. Qumi connects to any device, using standard connectivity like HDMI and MHL. The built-in Web-Browser and (optional) WiFi Qumi Dongle are all you need for an instant, wireless operation.

Tip: Download the Vivitek Mobile Remote App and turn any smart-device into a Qumi remote.



Qumi + WifiDongle + Smartphone + App  
= Fully Wireless Presentation



## **Beyond Expectations**

*Brighter*

Qumi stands for quality. The image on the wall is what counts. All Qumi models project in HD quality and make a lasting impression with bright, lively colours, up to 1000 ANSI Lumens brightness with a high contrast. The Qumi comes in an ultra-light 460 grams or a professional 1.4kg super bright version.

## **LED goes beyond expectations**

*Inside Qumi*

Developments in LED technology have made it possible to reduce the size and weight of projectors drastically. The efficient projection design of the Qumi has great benefits including;

- Long life (30,000 hours operation)
- Low power consumption
- Environmentally friendly
- Brighter, colourful images
- Instant start-up/poweroff
- Operates through 360° degrees

	Qumi Q7 Plus	Qumi Q7 Lite	Qumi Q5	Qumi Q4
Brightness	1000 ANSI Lumens	700 ANSI Lumens	500 ANSI Lumens	500 ANSI Lumens
Native Resolution	WXGA (1280 x 800) HD720p	WXGA (1280 x 800) HD720p	WXGA (1280 x 800) HD720p	WXGA (1280 x 800) HD720p
Max. Resolution	UXGA (1600 x 1200) @60Hz	UXGA (1600 x 1200) @60Hz	UXGA (1600 x 1200) @60Hz	UXGA (1600 x 1200) @60Hz
Contrast Ratio	30,000:1	30,000:1	30,000:1	30,000:1
Lamp Life and Type	30,000 hours, LED	30,000 hours, LED	30,000 Hours, LED	30,000 hours, LED
Display Type	Single chip DLP® Technology by Texas Instruments	Single chip DLP® Technology by Texas Instruments	Single chip DLP® Technology by Texas Instruments	Single chip DLP® Technology by Texas Instruments
Throw Ratio	1.30 - 1.43:1	1.30 - 1.43 : 1	1.55:1	1.55:1
Image Size (Diagonal)	26" - 107"	26" - 107"	30" - 90"	30" - 90"
Projection Distance	0.8 - 3m	0.8 - 3 m	1 - 3 m	1 - 3 m
Projection Lens	F=1.55	F=1.55	F=1.9	F=1.9
Zoom Ratio	1.1x	1.1x	Fixed Lens	Fixed Lens
Native Aspect Ratio	16:10	16:10	16:10	16:10
Offset (Based on Full Image Height)	100%	100%	100%	100%
Keystone Correction	Vertical -35° / +32°	Vertical -35° / +32°	Vertical +/- 40°	NA
Speakers	2W x 2 (Stereo)	2W x 2 (Stereo)	2W	NA
Video Compatibility	SDTV(480i, 576i), EDTV (480p, 576p), HDTV (720p, 1080i/p), NTSC (M, 3.58/4.43 MHz), PAL (B, D, G, H, I, M, N), SECAM (B, D, G, K, L)	SDTV(480i, 576i), EDTV (480p, 576p), HDTV (720p, 1080i/p), NTSC (M, 3.58/4.43 MHz), PAL (B, D, G, H, I, M, N), SECAM (B, D, G, K, L)	SDTV(480i, 576i), EDTV (480p, 576p), HDTV (720p, 1080i/p), NTSC (M, 3.58/4.43 MHz), PAL (B, D, G, H, I, M, N), SECAM (B, D, G, K, L)	SDTV(480i), EDTV (480p), HDTV (720p, 1080i/p), NTSC/NTSC 4.43
I/O Connection Ports	MHL/HDMI v1.4, VGA-In, Composite Video, Audio-In RCA (L/R), Audio-Out (Mini-Jack), USB (Type A)	MHL/HDMI v1.4, VGA-In, Composite Video, Audio-In RCA (L/R), Audio-Out (Mini-Jack), USB (Type A)	HDMI v1.3 (MHL v2.1), 24-pin Universal VGA-In, A/V-In (3.5mm), Audio-Out (3.5mm), USB (Type A)	HDMI v1.3 (MHL v2.1), 24-pin Universal-In, A/V-In (3.5mm), Audio-Out (3.5mm), USB (Type A) (Service Only)
Dimensions (W x D x H)	238 x 180 x 40 mm	238 x 180 x 40 mm	160 x 102.4x32.3 mm	160 x 102.4 x 32.3mm
Weight	1.4 kg	1.4 kg	0.490 kg	0.460 kg
Noise Level	33dB/39dB (Eco-Movie / Normal-User)	33dB/38dB (Eco-Movie / Normal-User)	28dB/36dB (Std. / Boost Mode)	28dB/36dB (Std. / Boost Mode)
Power	Supply: AC 100-240V, 50/60Hz Consumption: 110W/85W (Normal/Eco Mode), <0.5W (Standby Mode)	Supply: AC 100-240V, 50/60Hz Consumption: 130W/95W (Normal/Eco Mode), <0.5W (Standby Mode)	Supply: AC 100-240V, 50/60Hz Consumption: 65W (Boost Mode), <0.5W (Standby Mode)	Supply: AC 100-240V, 50/60Hz Consumption: 65W (Boost Mode), <0.5W (Standby Mode)
Standard Accessories	Carrying Case, Power Cable, HDMI Cable, VGA Cable, MHL Cable, Remote Control, Lens Cover, Documentation Kit	Power Cable, HDMI Cable, MHL Cable, Remote Control, Lens Cover, Documentation Kit	Carrying Case, Remote Control, AC Power Adapter, Power Cable, 24-pin Universal-In, Documentation Kit	Remote Control, AC Power Adapter, 24-pin Universal-In, Documentation Kit
Optional Accessories	Carry Case, Wi-Fi USB Dongle, Remote Control	Wi-Fi USB Dongle; Remote Control	Wi-Fi USB Dongle, Remote Control	Remote Control
File Format Supported	Office: Microsoft® Office (Word, Excel®, PowerPoint®), Adobe™ PDF and Text (.txt) Video: MPEG-4, H.264, Divx™, WMV Images: JPEG, PNG, BMP, GIF Audio: MP3, WAV	Office: Microsoft® Office (Word, Excel®, PowerPoint®), Adobe™ PDF and Text (.txt) Video: MPEG-4, H.264, Divx™, WMV Images: JPEG, PNG, BMP, GIF Audio: MP3, WAV	Office: Microsoft® Office (Word, Excel®, PowerPoint®), Adobe™ PDF and Text (.txt) Video: MPEG-4, H.264, Divx™, WMV Images: JPEG, PNG, BMP, GIF Audio: MP3, WAV	N/A
Wifi Remote Control App	Yes	Yes	Yes	No
Internal Memory	4GB (User Accessible: 2GB)	4GB (User Accessible: 2GB)	4GB (User Accessible: 2GB)	N/A
Wireless	Yes (using WiFi dongle)	Yes (using WiFi dongle)	Yes (using WiFi dongle)	N/A
Available Colours	Black, White	Black, White	Red, Yellow, Blue, White, Black	White
Warranty	3 Years Warranty	3 Years Warranty	3 Years Warranty / 5 Years Education Warranty	2 Years Warranty

Tel: +31 20 655 0960  
email: info@vivitek.eu

[www.vivitek.eu](http://www.vivitek.eu)  
[www.myqumi.eu](http://www.myqumi.eu)




© Copyright 2014 Vivitek. Vivitek is a registered trademark of Delta Electronics, Inc. Values, weights, and dimensions shown are approximate. Errors and omissions accepted. Specifications are subject to change without prior notice.

A brand of DELTA

Brighter • Smarter • Beyond Expectations

**Connect with Qumi**

LED HD Pocket and Personal Projectors



**vivitek**<sup>®</sup>  
**QUMI**

**Connect with Qumi**  
LED HD Pocket and Personal Projectors



## the **Qumi** Q7 Plus and Q7 Lite

### **Perfect business companion**

The Qumi Q7 Plus is an HD LED projector that is a great addition to any meeting. It weighs just 1.4kg, looks great and is switched on and connected in seconds. Better yet, the projection quality is 1000 ANSI Lumens of brightness \* and connectivity is unmatched in this category.

The feature set of these models make them a true business partner in any presentation. A projector to rely on where first impressions count!

\*The Qumi Q7 Lite has 700 ANSI Lumens.



# the **Qumi Q5**

## **Perfect 'pack and go' companion**

Qumi Q5 projector weighs just 490 grams and is the smallest projector to deliver HD quality projections at an instant. Q5 can display a host of image and video files, presentations, Word, Excel or Adobe PDF files from files in a native format from a USB flash drive or from the on board memory. It is the perfect portable companion.

Maximise your flexibility and add the WiFi dongle and Qumi app to control Qumi using your smartphone as remote.

Qumi Q5 is your personal projector to share! Available in 5 cool colours



# the **Qumi Q4**

## **Perfect lifestyle companion**

Qumi Q4 is the slim and lightweight projector to connect to any device at home or work. It is easy to use and has multiple connectivity options. From gaming to entertaining and work, it will do the job brilliantly.

The Qumi Q4 offers great value in a compact size enabling you to make a great impression.

